

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("20030120798").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 11:04
S2	2	("0116682").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 11:05
S3	0	("wo116682").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 13:45
S4	22423	(packet\$1 and segment\$5) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:46
S5	0	(packet\$1 and segment\$5) and (mutiple with reassemble) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:48
S6	0	(packet\$1 and segment\$5) and (mutiple with reassembler\$1) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:48
S7	72	(packet\$1 and segment\$5) and (reassembler\$1) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:48
S8	0	(packet\$1 and fragment\$3) and (multiple\$3 with reassembler\$1) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:49

EAST Search History

S9	22	(packet\$1 and fragment\$3) and (reassembler\$1) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:49
S10	22	(packet\$1 and fragment\$3) and (reassemblers) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:52
S11	0	(packet\$1 and fragment\$3) and (multi\$4 with reassembler\$1) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:52
S12	0	(fragment\$3) and (multi\$4 with reassembler\$1) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:53
S13	8	(segment\$3) and (multi\$4 with reassembler\$1) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:20
S14	173	(segment\$3 and (intergrat\$3 with circuits)) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:23
S15	0	(segment\$3 and (intergrat\$3 with circuits with reassem\$5)) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:22
S16	0	(segment\$3 and (intergrat\$3 with access\$1 with router\$1)) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:23

EAST Search History

S17	6	(segment\$3 and (intergrat\$3 with access\$1)) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:38
S18	1	(intergrat\$3 with process\$4) and SAR and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:56
S19	0	(intergrat\$3 with access\$4) and SAR and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:56
S20	158	(integrat\$3 with access\$4) and SAR and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:56
S21	27	(integrat\$3 with access\$4 with processors) and SAR and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:57
S22	0	(integrat\$3 with access\$4 with (multi\$4 near2 processors)) and SAR and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:57
S23	7	(integrat\$3 with process\$4 with (multi\$4 near2 processors)) and SAR and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 15:31
S24	2	("4149243").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 15:36

EAST Search History

S25	19977	((multi\$3 near1 processor) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:52
S26	0	((multi\$3 near1 processor) with schedul\$4 with classif\$4) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:53
S27	2	((multi\$3 near1 processor) same schedul\$4 with classif\$4) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:57
S28	112	((multi\$3 near1 processor) same schedul\$4 with task\$4) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:57
S29	1	((multi\$3 near1 processor) same schedul\$4 near1 function with task\$4 near1 function) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:02
S30	0	((multi\$3 near1 processor) same schedul\$4 near1 function with classification near1 function) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:02
S31	0	((multi\$3 near1 processor) same schedul\$4 near1 function with classifying near1 function) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:03
S32	0	((multi\$3 near1 processor) same classifying near1 function) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:03

EAST Search History

S33	10	((processor) same classifying near1 function) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:03
S34	0	((processor) same classifying near1 function same schedul\$3) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:03
S35	10	((processor) same classifying near1 function) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:05
S36	1	((processor) same classifying near1 function) and schedul\$3 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:24
S37	17	((processor) same classifier same scheduler) and schedul\$3 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:49
S38	0	((multi with \processor) same classifier same scheduler) and schedul\$3 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:24
S39	0	((multi near2 processor) same classifier same scheduler) and schedul\$3 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:24
S40	0	((paralle\$3 near1 processor) same classifier same scheduler) and schedul\$3 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:25

EAST Search History

S41	0	((multi-processor) same parser same scheduler) and schedul\$3 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:49
S42	21	((multi-processor) and parser and scheduler) and schedul\$3 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 16:03
S43	0	("9384689").PN.	USPAT; USOCR	OR	OFF	2005/12/02 16:31
S44	1	("4,149,243").PN.	USPAT; USOCR	OR	OFF	2005/12/02 16:31
S45	1	("6944153").PN.	USPAT; USOCR	OR	OFF	2005/12/02 16:34
S46	1	("5179530").PN.	USPAT; USOCR	OR	OFF	2005/12/02 16:35
S47	1	("4885684").PN.	USPAT; USOCR	OR	OFF	2005/12/02 16:36
S48	1	("4149243").PN.	USPAT; USOCR	OR	OFF	2005/12/02 16:37
S49	1	("5357632").PN.	USPAT; USOCR	OR	OFF	2005/12/02 16:37
S50	0	("20030121033").PN.	USPAT; USOCR	OR	OFF	2005/12/02 16:37
S51	1	("20030121033").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 16:37
S52	25	(separat\$4 with (intergrat\$3 with circuits)) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 17:13
S53	0	((intergrat\$3 near4 circuit\$1) with reassemb\$4) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 17:15

EAST Search History

S54	0	((intergrat\$3 near4 circuit\$1) same reassemb\$4) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 17:15
S55	0	((intergrat\$3 with circuit\$1) same reassemb\$4) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 17:15
S56	152	((integrat\$3 with circuit\$1) same reassemb\$4) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 17:45
S57	0	((integrat\$3 near1 circuit\$1) same reassembler\$4) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 17:15
S58	0	((integrat\$3 near4 circuit\$1) same reassembler\$4) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 17:15
S59	0	((integrat\$3 with circuit\$1) same reassembler\$4) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 17:16
S60	0	((integrat\$3 with circuit\$1) same reassembler\$4) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 17:16
S61	122	((integrat\$3 with circuit\$1) same reassemb\$4 and stor\$5) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 17:45

EAST Search History

S62	152	((integrat\$3 with circuit\$1) same reassemb\$4 near3stor\$5) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 17:45
S63	6	((integrat\$3 with circuit\$1) same reassemb\$4 near3 stor\$5) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 18:02
S64	0	(reassembler\$4 with cells with packet\$1) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 18:03
S65	0	(reassembler\$4 with cells) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 18:04
S66	47	(reassembler\$4 with cells) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 18:28
S67	2	(reassembler\$4 with cells).ti. and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 18:05
S68	9	(reassembler\$4 with cells).ab. and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 18:08
S69	11	(reassembler\$4 with cells) and (integrat\$3 near2 circuit\$1) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 18:28

EAST Search History

S70	9	(reassembler\$4 with cells) and (integrat\$3 near2 circuit\$1) and @ad<="20011221" and switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 18:49
S71	0	("20030120798").PN.	USPAT; USOCR	OR	OFF	2005/12/09 18:47
S72	1	("20030120798").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 18:47
S73	6	(reassembler\$4 with cells) and (integrat\$3 near2 circuit\$1) and @ad<="20011221" and switch and schedul\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 18:50
S74	2	(reassembler\$4 with cells) and (integrat\$3 near2 circuit\$1) and @ad<="20011221" and switch and scheduler\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 19:01
S75	1	(reassembler\$4 with cells) and (integrat\$3 near2 circuit\$1) and @ad<="20011221" and switch and traffic near1 manager\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 19:02
S76	1	(reassembler\$4 with cells) and (integrat\$3 with circuit\$1) and @ad<="20011221" and switch and traffic near1 manager\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 19:02
S77	1	(reassembler\$4 with cells) and (integrat\$3 with circuit\$1) and @ad<="20011221" and switch and traffic near2 manager\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 19:02
S78	1	(reassembler\$4 with cells) and (integrat\$3 with circuit\$1) and @ad<="20011221" and switch and traffic with manager\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 19:02

EAST Search History

S79	273	(integrat\$3 with circuit\$1) and @ad<="20011221" and switch and traffic with manager\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 19:02
S80	109	(integrat\$3 with circuit\$1) and @ad<="20011221" and switch and traffic near2 manager\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 19:02
S81	77	(integrat\$3 with circuit\$1) and @ad<="20011221" and switch and traffic near1 manager\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 19:03
S82	25	(integrat\$3 with circuit\$1) and @ad<="20011221" and switch and traffic near1 manager\$5 and reassembl\$4 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 19:04
S83	5	(integrat\$3 with circuit\$1) and @ad<="20011221" and switch and traffic near1 manager\$5 and reassembl\$4 with cell\$1 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 19:42
S84	1	("6483839").PN.	USPAT; USOCR	OR	OFF	2005/12/09 19:43
S85	1	("6058114").PN.	USPAT; USOCR	OR	OFF	2005/12/09 19:44
S86	1	("6629147").PN.	USPAT; USOCR	OR	OFF	2005/12/09 19:47
S87	1	("6771652").PN.	USPAT; USOCR	OR	OFF	2005/12/09 19:49
S88	1	("5623494").PN.	USPAT; USOCR	OR	OFF	2005/12/09 19:49
S89	1	("5979754").PN.	USPAT; USOCR	OR	OFF	2005/12/14 17:50
S90	1	("5850753").PN.	USPAT; USOCR	OR	OFF	2005/12/14 17:51
S91	1	("6130606").PN.	USPAT; USOCR	OR	OFF	2005/12/14 17:52
S92	1	("5541585").PN.	USPAT; USOCR	OR	OFF	2005/12/14 17:53

EAST Search History

S93	1	("6049287").PN.	USPAT; USOCR	OR	OFF	2005/12/14 17:54
S94	1	("6006258").PN.	USPAT; USOCR	OR	OFF	2005/12/14 17:54
S95	1	("5397884").PN.	USPAT; USOCR	OR	OFF	2005/12/14 17:54
S96	14	(plurali\$3 multiple) with (reassem\$5 near2 memor\$5) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 01:42
S97	7	(plurali\$3 multiple) with (reassem\$5 near2 storages) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 01:42
S98	2	(plurali\$3 multiple) with (reassem\$5 adj2 storages) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 01:43
S99	0	(plurali\$3 multiple) near2 (reassem\$5 adj2 storages) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 01:43
S10 0	322	(plurali\$3 multiple) near2 (reassem\$5) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 01:43
S10 1	0	(multiple) near2 (reassem\$5) near4 storage and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 01:44
S10 2	1	(multiple) near2 (reassem\$5) near4 memories and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 01:44

EAST Search History

S10 3	2	(plurality) near2 (reassem\$5) near4 memories and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 01:46
S10 4	4	(plurality) near2 (reassem\$5) near4 buffers and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 01:53
S10 5	4	(multiple) near2 (reassem\$5) near4 buffers and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 01:57
S10 6	518	(reassem\$5) near4 buffers and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 01:57
S10 7	123	(reassem\$5) adj1 buffers and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 01:58
S10 8	6	((reassem\$5 adj1 buffers) with functions) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 02:01
S10 9	21	((reassem\$5 adj1 buffers) same functions) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 02:02
S11 0	16	((reassem\$5 adj1 buffers) same processor\$1) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 02:02

EAST Search History

S11 1	77	((reassem\$5 adj1 buffers) and processor\$1) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 02:02
S11 2	6	((reassem\$5 adj1 buffers) with processor\$1) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 02:08
S11 3	2	((reassem\$5 adj1 buffers) same functions same processor\$1) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 02:13
S11 4	1	("20030177261").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/07 02:17
S11 5	1	("20020048284").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/07 02:17
S11 6	1	("20030093488").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/07 02:17
S11 7	1	("5623494").PN.	USPAT; USOCR	OR	OFF	2006/06/07 18:53
S11 8	1	("4149243").PN.	USPAT; USOCR	OR	OFF	2006/06/07 18:53
S11 9	1	("6771652").PN.	USPAT; USOCR	OR	OFF	2006/06/07 19:18
S12 0	1	("6493356").PN.	USPAT; USOCR	OR	OFF	2006/06/07 19:30
S12 1	1	("20020097733").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/07 19:35
S12 2	187	(reassembled near4 memories) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 19:44

EAST Search History

S12 3	138	(reassembled adj4 "memories") and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 19:46
S12 4	28	(reassembled adj1 "memories") and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 19:49
S12 5	15	(reassembly adj1 "memories") and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 19:51
S12 6	102	(reassembly adj1 "buffers") and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 20:03
S12 7	19	(reassembly adj1 "buffers") with (processors circuit\$3) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 20:14
S12 8	38	(reassembly adj4 "buffers") with (processors circuit\$3) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 21:02
S12 9	36	(reassembly adj4 "memories") with (processors circuit\$3) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 21:15
S13 0	2	(reassemblers adj4 "memories") with (processors circuit\$3) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 21:15

EAST Search History

S13 1	4	(reassemblers with "memories") with (processors circuit\$3) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 21:16
S13 2	22	(reassemblers with "memories") and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 21:18
S13 3	2	(reassembler with circuits with "memories") and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 21:19
S13 4	145	(reassemblers) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 21:20
S13 5	22	(reassemblers) with memor\$5 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 23:45
S13 6	0	("20040100967").PN.	USPAT; USOCR	OR	OFF	2006/06/07 23:46
S13 7	1	("20040100967").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/07 23:47
S13 8	1	("20020129143").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/07 23:48
S13 9	1	("20040221032").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 16:30
S14 0	1	("5491749").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 16:36
S14 1	1	("6601170").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 16:43

EAST Search History

S14 2	1	("20030084339").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 16:43
S14 3	12	(portion with reassemblers) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 20:47
S14 4	0	(switch with distinct\$4 with reassemblers) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 20:47
S14 5	0	(forward\$5 with distinct\$4 with reassemblers) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 20:47
S14 6	7	(forward\$5 with reassemblers) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 21:00
S14 7	0	((segment\$1 packet\$1)with differen\$5 near2 reassemblers) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 21:01
S14 8	0	((segment\$1 packet\$1)same differen\$5 near2 reassemblers) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 21:01
S14 9	79	((segment\$1 packet\$1)same reassemblers) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 21:01
S15 0	79	((segment\$1 packet\$1)same "reassemblers") and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 21:02

EAST Search History

S15 1	71	((segment\$1 packet\$1)with "reassemblers") and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 21:02
S15 2	64	((portions with segment\$1 packet\$1)with "reassemblers") and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 21:02
S15 3	6	((portions with (segment\$1 packet\$1))with "reassemblers") and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 21:03
S15 4	0	((segment\$1 packet\$1)with shar\$5 with "reassemblers") and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 21:03
S15 5	1	(shar\$5 with "reassemblers") and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 21:04
S15 6	2	(shar\$5 near1 (packets segments) with "reassembly") and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 21:07
S15 7	108	((packets segments) with forward\$3 with "reassembly") and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 21:07
S15 8	0	((packets segments) with forward\$3 with other\$3 with "reassembly") and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 21:07

EAST Search History

S15 9	0	((packets segments) with forward\$3 with another\$3 with "reassembly") and @ad<=""20011221""	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 21:08
S16 0	108	((packets segments) with forward\$3 with "reassembly") and @ad<=""20011221""	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 21:08
S16 1	20	((packets segments) with forward\$3 with "reassembly" with (functions services)) and @ad<=""20011221""	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 21:38
S16 2	0	((packets segments) with mov\$5 with another with "reassembly" with (functions services)) and @ad<=""20011221""	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 21:38
S16 3	0	((packets segments) with another with "reassembly" with (functions services)) and @ad<=""20011221""	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 21:38
S16 4	0	((packets segments) with another with "reassembly") and @ad<=""20011221""	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 21:38
S16 5	0	((packets segments) with other with "reassembly") and @ad<=""20011221""	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 21:39
S16 6	57	((packets segments) with different\$3 with "reassembly") and @ad<=""20011221""	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 21:40

EAST Search History

S16 7	5	((packets segments) with different\$3 near2 "reassembly") and @ad<=""20011221""	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 21:52
S16 8	9	(different\$3 near2 "reassembly" with functions) and @ad<=""20011221""	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 21:58
S16 9	2	(different\$3 near2 "reassembly" with portions) and @ad<=""20011221""	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 21:58
S17 0	17	(different\$3 with "reassembly" with portions) and @ad<=""20011221""	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 21:59
S17 1	0	(different\$3 with "reassembly" with "same fragment\$5") and @ad<=""20011221""	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 22:00
S17 2	0	(different\$3 with "reassembly" with "same packets") and @ad<=""20011221""	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 22:00
S17 3	0	(different\$3 with "reassembly" with "same datagrams") and @ad<=""20011221""	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 22:00
S17 4	0	(different\$3 with "reassembly" same "same datagrams") and @ad<=""20011221""	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 22:00

EAST Search History

S17 5	0	(different\$3 with "reassembly" same "single datagrams") and @ad<=""20011221""	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 22:00
S17 6	14	(different\$3 with "reassembly" same "datagrams") and @ad<=""20011221""	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 22:01
S17 7	1028497	(different\$3 with "reassembly" access\$3 "datagrams") and @ad<=""20011221""	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 22:01
S17 8	2	(different\$3 with "reassembly" with access\$3 with "datagrams") and @ad<=""20011221""	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 22:03
S17 9	0	(different\$3 near2 "reassembly" with access\$3) and @ad<=""20011221""	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 22:03
S18 0	3	(different\$3 near4 "reassembly" with access\$3) and @ad<=""20011221""	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 22:03
S18 1	2008	(shar\$5 near1 (segment\$3 packets datagrams)) and @ad<=""20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 17:24
S18 2	1001	(shared near1 (segment\$3 packets datagrams)) and @ad<=""20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 17:24

EAST Search History

S18 3	415	(shared adj1(segment\$3 packets datagrams)) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 17:24
S18 4	1	(shared adj1(segment\$3 packets datagrams)) with reassemb\$5 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 17:25
S18 5	1	(shared adj1(segment\$3 packets datagrams cells)) with reassemb\$5 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 17:26
S18 6	2	(shared adj2(segment\$3 packets datagrams cells)) with reassemb\$5 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 17:27
S18 7	14	(shared adj4(segment\$3 packets datagrams cells)) with reassemb\$5 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 17:28
S18 8	15	(shared adj4(segment\$3 packets datagrams cells data)) with reassemb\$5 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 17:28
S18 9	0	(sharing adj1(segment\$3 packets datagrams cells data)) with reassemb\$5 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 17:29
S19 0	2	(sharing adj2(segment\$3 packets datagrams cells data)) with reassemb\$5 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/09 17:29